



LIQUID D 2000

Supports Healthy Vitamin D Levels



Purpose of Product:

- To support healthy Vitamin D levels.
- To help support blood sugar metabolism and insulin receptor site sensitivity.
- Support healthy immune system.

Use of Product:

Liquid D 2000 provides a concentrated dosage of Vitamin D. Healthy Vitamin D levels offer the body support in numerous areas to include: blood sugar metabolism, bone health, immune health, cardiovascular health, autoimmune responses, neurodegenerative disorders, and many more.

Directions:

As directed by your health care provider.

Supplement Facts

Serving size: 1 drop (0.04ml)

Servings per container: 600

	Amount Per Serving	% DV
Vitamin D (as cholecalciferol)	2000IU	500%

Other Ingredients: MCT oil (medium chain triglyceride oil from coconut/palm kernel oil).

DOES NOT CONTAIN: Sugar, wheat, casein, gluten, milk, egg, preservatives, yeast, artificial flavorings, colorings, peanuts, tree nuts or fish.

The research citations included should not be construed, and is not a claim for the performance of this product.

This is a dietary supplement made from carefully selected ingredients under strict manufacturing processes.

This product is not intended for use as a replacement for medications prescribed by a prescribing health care provider. It is intended for nutritional purposes only. Please do not start or stop taking any prescription medications without first consulting your prescribing health care provider.

Statements in this information sheet have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease or medical condition. This product is not meant to replace prescription medication and is for nutritional and dietary use.

Please consult your health care provider before starting a nutritional supplement program or before using these or any product during pregnancy or if you have a serious medical condition.

For Professional Use Only. This product is not designed to be taken without the advice and guidance of a health care practitioner.



Biogenetix

LIQUID D 2000

REFERENCE LIST

1. Altı T, Gullu S, Usal AR, Erdogan G. The prevalence of vitamin D levels in the elderly Turkish population. *Arch Gerontol Geriatr* 2005;40:53-60.
2. Altı T, Gullu S, Usal AR, Erdogan G. The prevalence of vitamin D deficiency and effects of ultraviolet light on vitamin D levels in elderly Turkish population. *Arch Gerontol Geriatr* 2005;40:53-60.
3. Baker SB, Worthley LI. The essentials of calcium, magnesium and phosphate metabolism: part I. Physiology Department of Critical Care Medicine, Flinders University of South Australia, Adelaide, South Australia (*Crit Care Resusc*. 2002 Dec;4(4):301-6.)
4. Bischoff-Ferrari HA, Conzelmann M, Dick W, et al. Effect of vitamin D on muscle strength and relevance in regard to osteoporosis prevention. *Z Rheumatol* 2003;62:518-521.
5. Campan P et al; Pilot study on n-3 polyunsaturated fatty acids in the treatment of human experimental gingivitis. *Departement de Chirurgie Buccale, Faculte de Chirurgie Dentaire de Toulouse, France. J Clin Periodontol*. 1997 Dec;24(12):907-13.
6. Cancer Chemoprevention and Cancer Treatment: is there a role for vitamin D, 1alpha, 25(OH)2-vitamin D3, or new analogs (deltanois)? Bethesda, MD, November 17-19, 2004. Sponsored by the National Cancer Institute, NIH, The Vitamin D Workshop, <http://vitamin.d.ucr.edu/Cancer&CancerChemo.htm>
7. Cantorna MT, Zhu Y, Froicu M, Whittke A. Vitamin D status, 1-25-dihydroxyvitamin D3, and the immune system. *Am J Clin Nutr*
8. Carpenter TO et al "Effect of magnesium depletion on metabolism of 25-hydroxyvitamin D in rats"
9. Chandra R and Sudhakaran L. Regulation of immune responses by Vitamin B6. *NY Acad Sci* 1990; 585:404-423.
10. Chapuy MC, Preziosi P, Maamer M, et al. Prevalence of vitamin D insufficiency in an adult normal population. *Osteoporosis Int* 1997;7:439-443.
11. Chiu K, et al. Hypovitaminosis D is associated with insulin resistance and beta cell function. *Am J Clin Nutrition*. 2004; 79: 820-825.
12. Cox SE et al; Vitamin A supplementation increases ratios of proinflammatory to anti-inflammatory cytokine responses in pregnancy and lactation. Department of Epidemiology and Population Health, London School of Hygiene and Tropical Medicine (LSHTM), London, UK. *Clin Exp Immunol*. 2006 Jun;144(3):392-400.
13. Cross D, et al. Phytoestrogens and vitamin D metabolism: A new concept for the prevention and therapy of colorectal, prostate, and mammary carcinomas. *J Nutrition*. 2004; 134: 127-1212. 2 Danilenko M, et al. Carnosic acid and promotion of monocytic differentiation of HL60-G cells initiated by other agents. *J Natl Cancer Inst*. 2001, 93(16): 1224-1233.
14. Dayong Wu and Simin Nikbin Meydan ; " n-3 Polyunsaturated fatty acids and immune function" Nutritional Immunology Laboratory, Jean Mayer USDA Human Nutrition Research Center on Aging at TUBS University, Boston, Proceedings of the Nutrition Society (1998), 57, 503-509
15. DeLuca HF, Cantorna MT. Vitamin D: its role and uses in immunology. *FASEB J* 2001;15:2579-2585.
16. Drugarin D. The pattern of Th1 cytokine in autoimmune thyroiditis. *Immunol Letts*, 2000; 71: 73-77.
17. Embroy AF, Snowdon LR, Vieth R. Vitamin D and seasonal fluctuations of gadolinium-enhancing magnetic resonance imaging lesions in multiple sclerosis. *Ann Neurol* 2000;48:271- 272.
18. Embroy AF, Snowdon LR, Vieth R. Vitamin D and seasonal fluctuations of gadolinium-enhancing magnetic resonance imaging lesions in multiple sclerosis. *Ann Neurol* 2000;48:271-271.
19. Embroy AF. Vitamin D supplementation in the fight against multiple sclerosis. *J Orthomolecular Med* 2004;19:27-38.
20. Embroy AF. Vitamin D supplementation in the fight against multiple sclerosis. *J Orthomolecular Med* 2004; 19:27-38.
21. Ericksen EF, Glenrup H. Vitamin D deficiency and aging: implications for general health and osteoporosis. *Biogerontology* 2002;3:73-77.
22. Fuller KE. Low birth-weight infants: the continuing ethnic disparity and the interaction of biology and environment. *Ethn Dis* 2000;10:432-445.
23. Goldberg P, Fleming MC, Picard EH. Multiple sclerosis: decreased relapse rate through dietary supplementation with calcium, magnesium and vitamin D. *Med Hypothesis* 1986;21: 193-200.
24. Grant W & Holick M. Benefits and Requirements of Vitamin D for Optimal Health: A Review. *Alt Med Rev*, 2005;10:94-108.
25. Grant W.B., Holick MF. Benefits and Requirements of Vitamin D for Optimal Health: A Review. *Alt Med Rev* 2005;10:94-111.
26. Grant WB. An estimate of premature cancer mortality in the U.S. due to inadequate doses of solar ultraviolet-B radiation. *Cancer* 2002;94:1867-1875.
27. Grant WB. Benefits of UVB exposure to reduce the risk of cancer – ecologic studies of cancer mortality rates. Proceedings of the CIE symposium '04; Light and Health: non-visual effects, 30 Sept.-2 Oct. 2004. Commission Internationale de L, Eclairage, Vienna, Austria, 2004:174-177.
28. Grant WB., Garland CF. A critical review of studies on vitamin D in relation to colorectal cancer. *Nutr Cancer* 2004;48:115-123.
29. Hanley DA, Davison KS. Vitamin D insufficiency in North America. *J Nutr* 2005; 135:332-337.
30. Hayas CE, Cantorna MT, DeLuca HF. Vitamin D and multiple sclerosis. *Proc Soc Exp Biol Med* 1997;216:21-27.
31. Hoick M. Vitamin D: importance in the prevention of cancers, type I diabetes, heart disease, and osteoporosis. *Am J Clin Nutrition*. 2004; 39:326-327.
32. Holick MF. Environment factors that influence the cutaneous production of vitamin D. *Am J Clin Nutr* 1995;61:683S-645S.
33. Holick MF. Photosynthesis of vitamin D in the skin: effect of environmental and life-style variables. *Fed Proc* 1987;46:1876-1882.
34. Holick MF. Sunlight and vitamin D for bone health and prevention of autoimmune diseases, cancers, and cardiovascular diseases. *Am J Clin Nutr* 2004;80:1678S-1688S.
35. Holick MF. Vitamin D deficiency: what pain it is. *Mayo Clin Proc* 2003;78:1457-1459.
36. Hypponen E, Laara E, Reunanen A, et al. Intake of vitamin D and risk of type I diabetes: a birth-cohort study. *Lancet* 2001; 358:1500-1503.
37. Hypponen E. Micronutrients of vitamin D and risk of type I diabetes: vitamin D, vitamin E, and nicotinamide. *Nutr Rev* 2004; 62:340-347.
38. Hypponen E, Lara E, Reunanen A, et al. Intake of vitamin D and risk of type I diabetes: a birth-cohort study. *Lancet* 2001; 358:1500-1503.
39. Koutkia P, Lu Z, Chen TC, Holick MF. Treatment of vitamin D deficiency due to Crohn's disease with tanning bed ultraviolet B radiation. *Gastroenterology* 2001; 121:1485-1488.
40. Koziol JA, Feng AC. Seasonal variations in exacerbations and MRI parameters in relapsing remitting multiple sclerosis. *Neuroepidemiology* 2004; 23:217-223.
41. Leklem JE. Vitamin B6. In: Shils ME, Olson JA, Shike M, Ross AC, ed. *Modern Nutrition in Health and Disease*. 9th ed. Baltimore: Williams and Wilkins, 1999: 413-421.
42. Leyland DM and Beynon RJ. The expression of glycogen phosphorylase in normal and dystrophic muscle. *Biochem J* 1991; 278:113-7.
43. Liu HX et al; Promotion of intestinal drug absorption by milk fat globule membrane Department of Hospital Pharmacy, Toyama Medical and Pharmaceutical University, Japan *Yakugaku Zasshi*. 1991 Sep;111(9):510-4
44. Luo XM, "Retinoic acid exerts dual regulatory actions on the expression and nuclear localization of interferon regulatory factor-1" Department of Nutritional Sciences, 126-S Henderson Building, University Park, PA 16802, USA, *Exp Biol Med* (Maywood). 2006 May;231(5):619-31
45. Lyakh LA, Sanford M, Chekol S, et al. TGF beta and vitamin D3 utilize distinct pathways to suppress IL-12 production and modulate rapid differentiation of monocytes into CD83+ dendritic cells. *J Immunol* 2005;174:2061-2070.
46. Mazur A et al, Magnesium and the inflammatory response: Potential physiopathological implications Equipe Stress Metabolique et Micronutriments, Unite de Nutrition Humaine UMR 1019, Centre de Recherche en Nutrition Humaine d'Auvergne, INRA, Theix, St. Genes Champanelle, France. *Arch Biochem Biophys*. 2006 Apr 19
47. Moore C, Murphy MM, Keast DR, Holick MF. Vitamin D intake in the United States. *J AM Diet Assoc* 2004;104:980-983.
48. Moschakis T et al; Microstructural evolution of viscoelastic emulsions stabilised by sodium caseinate and xanthan gum Procter Department of Food Science, University of Leeds, Leeds LS2 9JT, UK *J Colloid Interface Sci*. 2005 Apr 15;284(2):714-28
49. Okada M, Ishikawa K, Watanabe K. Effect of vitamin B6 deficiency on glycogen metabolism in the skeletal muscle, heart, and liver of rats. *J Nutr Sci Vitaminol (Tokyo)* 1991; 37:349-57. 67 Revilla-Monsalve C et al, "Biotin supplementation reduces plasma triacylglycerol and VLDL in type 2 diabetic patients and in nondiabetic subjects with hypertriglyceridemia" *Biomed Pharmacother*. 2006 May;60(4):182-185. Epub 2006 Mar 31.
50. Otto-von-Guericke-Universitat Magdeburg, Medizinische Fakultat, Institut fur Neurobiochemie, Leipziger Strasse 44, 39120 Magdeburg, Germany
51. Pawley N, Bishop NJ. Prenatal and infant predictors of bone health: the influence of vitamin D. *Am J Clin Nutr* 2004;80:1748S-1751S.
52. Plotnikoff GA, Quigley JM. Prevalence of severe hypovitaminosis D in patients with persistent nonspecific musculoskeletal pain. *Mayo Clin Proc* 2003; 78:1463-1470.
53. Plotnikoff GA, Quigley JM. Prevalence of severe hypovitaminosis D in patients with persistent nonspecific musculoskeletal pain. *Mayo Clin Proc* 2003; 78:1463-1470.
54. Rajakumar K. Vitamin D, cod-liver oil, sunlight, and rickets: a historical perspective. *Pediatrics* 2003;112:e132-135.
55. Sergeeva M "Regulation of intracellular calcium levels by polyunsaturated fatty acids, arachidonic acid and docosahexaenoic acid, in astrocytes: possible involvement of phospholipase A2" *Reprod Nutr Dev*. 2005 Sep-Oct;45(5):633-46
56. Smith EA, et al. Effects of long-term administration of vitamin D3 analogs to mice. *J Endocrinol Invest*. 1994; 17(6): 385-390.
57. Specker B. Vitamin D requirements during pregnancy. *Am J Clin Nutr* 2004;80:1740S- 1747S.



Biogenetix

58. Standing Committee on the Scientific Evaluation of Dietary Reference Intakes, Food and Nutrition Board, Institute of Medicine. Dietary Reference Intakes for Calcium, Phosphorus, Magnesium, Vitamin D, and Fluoride. Washington, DC: The National Academies Press; 1997.
59. Stene, L. C. et al., Use of cod liver oil during pregnancy associated with lower risk of Type I diabetes in the offspring *Diabetologia*, Volume 43, Number 9; September 2000
60. Tangpricha V, Pearce EN, Chen TC, Holick MF. Vitamin D insufficiency among free-living healthy young adults. *Am J Med* 2002;112:659-662.
61. Temper DI, Trent NH, Spencer DA, et al. Season of birth in multiple sclerosis. *Acta Neurol Scand* 1992;85:107-109.
62. Veith R, Chan PC, MacFarlane GD. Efficacy and safety of vitamin D3 intake exceeding the lowest observed adverse effect level. *Am J Clin Nutr* 2001;73:288-294.
63. Veith R, Kimbeall S, Hu A, Walfish PG. Randomized comparison of the effects of the vitamin D3 adequate intake versus 100 mcg (4,000 IU) per day on biochemical responses and the wellbeing of patients. *Nutr J* 2004;3:8.
64. Vestergaard P. Prevalence and pathogenesis of osteoporosis in patients with inflammatory bowel disease. *Minerva Med* 2004;95:469-480.
65. Vieth R. Why the optimal requirements for vitamin D3 is probably much higher than What is officially Recommended for Vitamin D. *J Nutr* 2005;135:317-322.
66. Webb AR, Kline L, Holick MF. Influence of season and latitude on the cutaneous synthesis of vitamin D3: exposure to winter sunlight in Boston and Edmonton will not promote vitamin D3 synthesis in the human skin. *J Clin Endocrinol Metab* 1988; 67:373-378.
67. Wieringa FT et al; Reduced production of immunoregulatory cytokines in vitamin A- and zinc-deficient Indonesian infants. Department of Internal Medicine, University Hospital Nijmegen, The Netherlands --- *Eur J Clin Nutr*. 2004 Nov;58(11):1498-504.
68. Willer CJ, Dymant DA, Sadovnick AD, et al. Timing of birth and risk of multiple sclerosis: population based study. *BMJ* 2005;330:120.
69. Working Group of the Australian and New Zealand Bone and Mineral Society, Endocrine Society of Australia and Osteoporosis Australia. Vitamin D and adult bone health in Australia and New Zealand: a position paper statement. *Med J Aust* 2005;182:281-285.
70. Worstman J, Matsuoka LY, Chen TC, et al. Decreased bioavailability of vitamin D in obesity. *Am J Clin Nutr* 2000;72: 690-693. Erratum in : *Am J Clin Nutr* 2003;77:1342.
71. Worstman J, Matsuoka LY, Chen TC, et al. Decreased bioavailability of vitamin D in obesity. *Am J Clin Nutr* 2000;72:690-693.
72. Zella JB, DeLuca HF. Vitamin D and autoimmune diabetes. *J Cell Biochem* 2003; 88:216-222.



The research citations included should not be construed as, and is not a claim for the performance of this product. To be provided by health care professionals only. The dosage recommendations are only for your health care provider's consideration. Please consult your health care provider for your individual dosing instructions. This product is for nutritional purposes only. It is advisable to consult your health care provider before starting a nutritional supplement program or before using these or any product during pregnancy or if you have a serious medical condition. This product or the information provided is not designed to diagnose, treat, reverse, cure or prevent any disease. This product is not intended to replace or delay the use of prescription medication. These statements have not been evaluated by the FDA.